



[HOME](#)

[CERTIFICATION DATABASE](#)

[TC DATABASE](#)

[UPDATE PROFILE](#)

[LOG OUT](#)

[home](#) > [view certified devices](#) > [certified device detail](#)

Certified Device Detail

Below are all of the certified HW/SW versions of this device.

Manufacturer: Beijing Inhand Networks Technology

Model Name/Number: ER805

Marketing Names (s): *Jun 14, 2021* - ER806

Jun 14, 2021 - ER808

Jun 14, 2021 - ER809

Jun 14, 2021 - ER815

Jun 14, 2021 - ER816

Jun 14, 2021 - ER818

Jun 14, 2021 - ER810

Jun 14, 2021 - ER825

Jun 14, 2021 - ER826

Jun 14, 2021 - ER828 ER820

Jun 14, 2021 - ER855

Jun 14, 2021 - ER856

Jun 14, 2021 - ER858

Jun 14, 2021 - ER865

Jun 14, 2021 - ER866

Jun 14, 2021 - ER868

Jun 14, 2021 - ER895

Jun 14, 2021 - ER896

Jun 14, 2021 - ER898

Antenna Type: External

External Antenna less than 20 cm away: No

Is this an IoT device? No

Supported Technologies and Frequency Bands:	UMTS FDD	Band II	Band IV	Band V	Band 7	Band 12	Band 13
	E-UTRA FDD	Band 2	Band 4	Band 5	Band 30	Band 66	
	E-UTRA CA Downlink	Band 25	Band 26	Band 29	Band 30	Band 66	
		CA_2A-2A		CA_2A-5A		CA_2A-12A	CA_2A-29A
		CA_4A-4A		CA_4A-5A		CA_4A-12A	CA_4A-13A
		CA_4A-29A		CA_5A-30A		CA_5A-66A	CA_7A-7A
		CA_12A-30A		CA_29A-30A		CA_29A-66A	CA_66A-66A
		CA_66B		CA_66C			
	Additional/Other Bands	CA_2C		CA_4C		CA_7C	CA_7B
		CA_12B					
		CA_25A-25A		CA_66A-13A		CA_25A-13A	CA_12A-4A
		CA_66A-5A		CA_12A-2A		CA_5A-4A	CA_5A-2A
		CA_7A-5A		CA_13A-2A		CA_13A-4A	CA_2A-13A
		CA_5A-25A		CA_5A-7A		CA_12A-25A	CA_25A-12A
		CA_30A-12A		CA_7A-26A		CA_66A-12A	CA_26A-7A
		CA_7A-12A		CA_25A-26A		CA_30A-5A	CA_12A-7A
		CA_25A-5A					

Regulatory Approval IDs:

Type	ID	Issuing Country
FCC	2AANYER805	United States
FCC	XMR201807EP06A	United States

IMEI TAC:

01606500

Amount of information to be published:

- Basic
- Detailed

Features:

- A-GNSS
- GNSS
- AMR-NB
- AMR-WB
- AT Commands
- Bluetooth
- CDMA2000
- Circuit Switched Voice
- DARP
- Device Power Class
- EGPRS Multislot Class
- FUMO
- GAN/UMA
- GPRS Multislot Class
- HAC M-Rating
 T-Rating (Optional)
- HSDPA
- HSUPA
- IMPS
- ISM
- LTE UE Downlink Category
- LTE UE Uplink Category
- LwM2M
- MIMO Downlink
- MIMO Uplink
- MMS Release

Multi-SIM Support

- Number

- Feature

OMA_Browsing

OMA PoC

OMA DM

OMA SUPL

Consumer Remote SIM Provisioning (GSMA SGP.22)

eSIM OS Vendor (e.g. Gemalto, G&D)

Add

M2M Remote SIM Provisioning (GSMA SGP.02)

eSIM OS Vendor (e.g. Gemalto, G&D)

Add

RX Diversity

SCOMO

STK SIM

STK USIM

TD-SCDMA

TTY

Video Telephony

UICC-Based NFC

VoLTE

WAP Version

Wi-Fi

-
802.11a
802.11b
802.11g

Qualcomm Technologies, Inc./IPQ4029

Wi-Fi Solution Manufacturer and Model Name/Number

This is a rebranded device

Request #	HW Version	SW Version	SVN	NAPRD.03 Ver.	Request Type	Test Indicators	Date Certified
99919	V1.1	V2.0.0	08	SUPL Test: 5.40 AT Commands Test: 5.40 Converged Device Test: 5.40 MIMO OTA Performance Test: 5.40 DM Test: 5.40 E-UTRA Test: 5.40 UMTS FDD Test: 5.40 SISO OTA Performance Test: 5.40	Initial	Testing was performed: Yes Category E Failures: No UE Failures: No	Aug 6, 2021 